

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

Global Food Contact Status:

European Union

This product complies with the relevant requirements of Regulation 1935/2004/EC (Framework Regulation) as applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

This product complies with the relevant requirements of Regulation 2023/2006/EC (GMP) and as amended, applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

This product complies with the relevant requirements of Regulation 10/2011/EC (PIM) as amended, applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

The monomers and additives used to produce this product are listed in the Union List of Authorized Substances of Regulation 10/2011/EC and subsequent amendments.

EU Regulation 10/2011/EC specifies 10 mg/dm² as the maximum overall migration (OML) from the finished plastic food contact material or article. The OML and SMLs (when applicable) should be determined according to the requirements specified in EU Regulation 10/2011/EC and subsequent amendments. The OML and SML determinations are the responsibility of the manufacturer of the finished plastic food contact material or article. In addition, we remind you that the manufacturers of the finished food contact material or article must verify that the finished material or article, manufactured according to good manufacturing practices, does not modify the organoleptic properties of the food.

SML Components

This product contains one or more components with Specific Migration Limits (SMLs).

39815; 9,9-bis(methoxymethyl)-9H-fluorene; SML = 0.05mg/kg

95360; 1,3,5-Tris(3,5-di-tert-butyl-4-hydroxybenzyl)-s-triazine-2,4,6(1H,3H,5H)trione; SML = 5mg/kg

60800; 1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine-succinic acid, dimethyl ester, copolymer; SML= 30 mg/kg

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

This product contains traces of a substance which is regulated with a specific migration limit in EU (Commission Regulation 10/2011; Annex II). Migration tests showed a migration level significantly below the SML, thus exceeding this SML under foreseeable conditions of use involving food contact is not expected.

SML = 1 mg/kg (expressed as Aluminium)

This product may contain minor trace levels of other metals, which are regulated with a specific migration limit in EU (Commission Regulation 10/2011 as amended; Annex II).

These metals are not intentionally added but may be present as impurity of the raw materials used. Migration tests on representative polyolefin samples showed a migration level below the SMLs, thus exceeding these SMLs under foreseeable conditions of use involving food contact is not reasonably expected.

Annex IV, Part 6 - Genotoxicity

In accordance with the requirements of Regulation 10/2011/EC (PIM), Annex IV, part 6, this product does not contain genotoxic substances which would migrate from a final material at a level exceeding 0.15 ppb in food or food simulant.

Dual Use Additives

This product contains one or more Dual Use Additives as defined in Regulation 10/2011/EC.

- ▶ E 470a Calcium salts of fatty acids

United States

The base resin in this product meets the FDA requirements contained in the Code of Federal Regulations in 21 CFR 177.1520(a)(1)(i) and (c)1.1a.

This product may contain adjuvant substances that may be safely used in polymers used for the manufacture of articles that come into direct contact with food. According to our information, these substances used in this product meet the requirements of their respective FDA regulations, FCNs, and 21 CFR 177.1520(b).

However, due to the limitations of one ingredient, this product cannot be used at temperatures above 212°F. This product meets the FDA criteria for food contact applications, temperatures not to exceed 212°F, listed under conditions of use B through H in 21 CFR 176.170(c), Table 2 and can be used in contact with all food types as listed in 21 CFR 176.170(c), Table 1.

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

Allergen Statements

Allergen - Food Allergen European Regulation 1169/2011

The food ingredients listed in Annex II of Regulation (EU) No 1169/2011, are not used in the manufacture of or formulation of this product. However, this product has not been tested for these substances.

Biomedical Policy

This product(s) may not be used in:

(1) U.S. FDA Class III, Health Canada Class IV, and/or European Class III Medical Devices; or (2) applications involving permanent implantation into the body.

Prior written approval for each specific product and application must be given by Velogy before this product(s) is used in any:

(1) U.S. FDA Class I, Health Canada Class I, and/or European Union Class I Medical Devices; (2) U.S. FDA Class II, Health Canada Class II or Class III, and/or European Union Class II Medical Devices; (3) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned Medical Devices; or (4) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration

All references to U.S. FDA, Health Canada, and European Union regulations include other country's equivalent regulatory classifications.

Velogy may further prohibit or restrict the sale of its products into certain applications.

Animal Based Raw-Materials (BSE/TSE)

Components derived from animal sources are not used in the manufacture or formulation of this product.

Biocidal Products (as defined in art.3 of Regulation (EU) No 528/2012 of 22 May 2012 as amended)

Biocidal Products (defined in art.3 of Regulation (EU) No 528/2012, 22 May 2012 and as amended, specifically as "any substance or mixture, in the form in which it is supplied to the user, consisting of, containing or generating one or more active substances, with the intention of destroying, deterring, rendering harmless, preventing the action of, or otherwise exerting a controlling effect on, any harmful organism by any means other than mere physical or mechanical

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

action") are not used in the manufacture of or formulation of this product. However, this product has not been tested for these substances.

Epoxy Derivatives

The materials BADGE, BFDGE or NOGE are not intentionally added in this product as referenced in Commission Regulation 1895/2005/EC, on the use of certain epoxy derivatives in materials and articles intended to come into contact with foodstuffs as plasticizers, additives or raw materials.

Halal Certification

We do not certify our resins to be HALAL or to be in compliance with HALAL requirements.

Kosher Certification

We do not certify our resins to be Kosher or in compliance with Kosher requirements.

Latex

No materials containing latex or natural rubber are used in the manufacturing, handling and packaging processes for this product.

Metals

Content US

CONEG

Based on the available documentation provided by our raw material suppliers, this product complies with the CONEG Model Legislation for requirements regarding the defined limit for the sum of heavy metals (lead, mercury, cadmium and hexavalent chromium).

EU Packaging and Packaging Waste

Based on the available documentation from raw materials suppliers, this product complies with the directive 94/62/EC and as amended concerning the defined limit(s) of heavy metals.

Restriction of Hazardous Substances in Electric and Electronic Equipment (RoHS)

RoHS Regulation refers to electrical and electronic equipment and not specifically to plastic raw materials. However, based on the available documentation from raw materials suppliers, this

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

product complies with the requirements of the Directives 2002/95/EC and 2011/65/EU, as amended, concerning the limits of cadmium, lead, mercury, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE), bis(2-ethylhexyl)phthalate (DEHP), butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and diisobutyl phthalate (DIBP).

Nanomaterials

Nanomaterials (defined as natural, incidental or manufactured materials containing particles, in an unbound state or as an aggregate or as an agglomerate and where, for 50 % or more of the particles in the number size distribution, one or more external dimensions is in the size range 1 nm - 100 nm) are not used in the manufacture of or the formulation of this grade. However, this product has not been tested for these chemical substances.

Other Chemicals

The chemical materials listed below are not intentionally used in the manufacture or the formulation of this product. However, this product has not been tested for these chemical materials.

- ▶ 2-(2H-1, 2, 3-Benzotriazol-2-yl)-4,6-di-tert-butylphenol; (Benzotriazole); CAS# 3846-71-7;
- ▶ 2,4,4'-trichloro-2'-hydroxydiphenyl ether; (Triclosan); CAS# 3380-34-5
- ▶ 2,4,6-Tri-tert-butylphenol; (2,4,6-TTBP); CAS# 732-26-3
- ▶ 2-mercaptobenzothiazole; MBT; CAS# 149-30-4;
- ▶ Acrolein; (propenal); (CAS# 107-02-8);
- ▶ Acrylamide; CAS# 79-06-1;
- ▶ Aromatic amines;
- ▶ Asbestos;
- ▶ Azo Dyes and Pigments;
- ▶ Polyaromatic Hydrocarbons - PAHs:
 - 1,2-dihydro-acenaphthene; (CAS# 83-32-9);
 - Acenaphthylene; (CAS# 208-96-8);
 - Anthracene; (CAS# 120-12-7);
 - Benz(a)anthracene; (CAS# 56-55-3);
 - Benzo(a)pyrene; (CAS# 50-32-8);
 - Benzo(b)fluoranthene; (CAS# 205-99-2);
 - Benzo(e)pyrene; (CAS# 192-97-2);
 - Benzo(ghi)perylene; (CAS# 191-24-2);
 - Benzo(j)fluoranthene; (CAS# 205-82-3);
 - Benzo(k)fluoranthene; (CAS# 207-08-9);
 - Chrysene; (CAS# 218-01-9);

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

- Dibenz(a,h)anthracene; (CAS# 53-70-3);
Fluoranthene; (CAS# 206-44-0);
Indeno(1,2,3-cd)pyrene; (CAS# 193-39-5);
Naphthalene; (CAS# 91-20-3);
Phenanthrene; (CAS# 85-01-8);
Pyrene; (CAS# 129-00-0);
- ▶ Benzophenone; CAS RN 119-61-9;
 - ▶ BPA and other Bisphenols including B, C, E, F, G, M, P, S, T and Z;
 - ▶ Bisphenol A; (BPA); CAS# 80-05-7;
 - ▶ Bisphenol A diglycidyl ether; (BADGE); CAS# 1675-54-3;
 - ▶ Bisphenol F diglycidyl ether; BFDGE; CAS# 2095-03-6;
 - ▶ Butylated hydroxyanisole; (BHA); CAS# 121-00-6 & 25013-16-5;
 - ▶ Butylated hydroxytoluene; (BHT); CAS# 128-37-0
 - ▶ Chlorinated paraffins;
 - ▶ Cobalt;
 - ▶ Cyanuric acid; (Isocyanuric Acid or CYA); CAS# 108-80-5;
 - ▶ Decabromodiphenylether; (DecaBDE); CAS 1163-19-5
 - ▶ Dimethyl fumarate; (DMF); CAS# 624-49-7;
 - ▶ Dioxins;
 - ▶ Epichlorohydrin; (ECH); CAS# 106-89-8;
 - ▶ Fluorocarbons;
 - ▶ Fluorotelomers
 - ▶ Formaldehyde; CAS# 50-00-0;
 - ▶ Formaldehyde in specific conditions could be formed during further resin processing (see SDS)
 - ▶ Gold(Au); CAS# 7440-57-5;
 - ▶ Halogenated Flame Retardants
 - ▶ Hexachlorobutadiene; HCBd; CASRN: 87-68-3
 - ▶ Isopropylthioxanthone (ITX); CAS 5495-84-1

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

- ▶ Melamine; (1,3,5-Triazine-2,4,6-triamine); CAS# 108-78-1;
- ▶ Mica
- ▶ Nitrosamines;
- ▶ Nonylphenol; CAS# 25154-52-3;

- ▶ Nonylphenol ethoxylates;
- ▶ Novolac glycidyl ether;
- ▶ Organotin compounds;
- ▶ Perfluorochemicals; (PFCs);
- ▶ Pentachlorothiophenol (PCTP); CASRN: 133-49-3
- ▶ Phenol, isopropylated phosphate (3:1); (PIP (3:1)); CASRN: 68937-41-7

- ▶ Perfluoroalkylated and Polyfluoroalkylated Substances; PFASs;
- ▶ Perfluorooctane sulfonate; (PFOS); CAS# 1763-23-1;
- ▶ Perfluorooctanoic acid; (PFOA); CAS# 335-67-1;
- ▶ Polybrominated biphenyls; (PBBs);
- ▶ Polybrominated diphenyl ethers; (PBDEs);

- ▶ Polybrominated terphenyls; (PBTs);
- ▶ Polychlorinated biphenyls; (PCBs);
- ▶ Polychlorinated naphthalenes; (PCNs);

- ▶ Polychlorinated terphenyls; (PCTs);
- ▶ Polystyrene;
- ▶ Polyvinyl chloride; (PVC); CAS# 9002-86-2;
- ▶ Polyvinylidene chloride; CARN 9002-85-1; PVdC;

- ▶ Styrene monomer; CAS# 100-42-5;
- ▶ Sulphur dioxide; CAS# 7446-09-5;
- ▶ Tin oxide (SnO₂); (Cassiterite); CAS# 8062-08-6;
- ▶ Tris-nonylphenol phosphite; (TNPP); CAS# 26523-78-4;

- ▶ Vinyl chloride monomer; CAS RN 75-01-4; VCM

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

- ▶ Wolframite; Tungsten (W); CAS# 1332-08-7;
- ▶ MOAH; Mineral Oil Aromatic Hydrocarbons;

Phthalates

Phthalates are not used in the manufacture of or the formulation of this product. However, this product has not been tested for phthalates.

Ozone Depleting Substances

European Union

The ozone-depleting substances (ODS), listed in the Annexes I & II of the Regulation (EU) 2024/590 of 7 February 2024 repealing Regulation (EC) No. 1005/2009, are not intentionally used in the manufacture of or formulation of this product.

United States

Materials listed in the Clean Air Act Amendments of 1990 (Class I, CFC's and Class II, HCFC's, Halons and the solvents, carbon tetrachloride and 1,1,1-trichloroethane) are not intentionally used in the production of this product.

Persistent Organic Pollutants - POPs Commission Regulation (EU) 2019/1021

The chemical materials listed below are not used in the manufacture or the formulation of this product and are not expected to be present. However, this product has not been tested for these chemical materials.

Compounds covered under Commission Regulation (EU) EC No.: 2019/1021, and as amended on Persistent Organic Pollutants (POPs).

VOC Content

Switzerland VOC Declaration

This product contains less than 3% VOC's of the substances in the positive lists of the Switzerland Regulations "VOC-LENKUNGSABGABE."

CEN Standard EN 13432:2004

This product is not suitable for composting.

Product Regulatory Summary: KeyForm P0910

Internal Ref. Number: 1Q091, BEN8663, Version 1.1, June 2026

Energy Recovery - CEN Standard EN 13431:2004

The calorific gain from polypropylene in an energy recovery process is 24 MJ/kg.

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, Velogy may further prohibit or restrict the sale of its products into certain applications. For further information, please contact RegulatoryComplianceROP@velogy.com