

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	ACETYLENE
Synonyms	:	Ethine, Narclyene, Ethyne.
Substance name	:	Acetylene
Substance No.	:	200-816-9 (EINECS)
Chemical characterization	:	Alicyne

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Manufacture of substances; Use as intermediate; Use in a fuel; Use as binders and release agents; Uses in Coatings; Use in laboratories; Distribution of substance
-----------------	---	--

1.3 Details of the supplier of the safety data sheet

Company	Registration number	Telephone
Velogy Polyoléfines France SAS Chemin départemental 54 B.P. 14 13131 Berre l'Etang Cedex France	01-2119457406-36- 0005	+33 (0) 4 42 74 42 74

Raffinerie de Berre

E-mail address Responsible/issuing person	:	RegulatoryComplianceROP@velogy.com
---	---	------------------------------------

1.4 Emergency telephone number

Velogy Polyoléfines France SAS	+33 (0) 4 42 74 42 74
--------------------------------	-----------------------

Poison Center:

ORFILA (INRS)
FR: + 33 (0)1 45 42 59 59
24 hours all days

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable gases, Category 1A	H220: Extremely flammable gas.
Gases under pressure, Compressed gas	H280: Contains gas under pressure; may explode if heated.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H220 Extremely flammable gas.
H280 Contains gas under pressure; may explode if heated.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Response:
P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P381 In case of leakage, eliminate all ignition sources.
Storage:
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May displace oxygen and cause rapid suffocation.
Rapid evaporation of the product may cause frostbite.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : Acetylene
EC-No. : 200-816-9 (EINECS)

Components

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version 1.1 Revision Date: 09/02/2026 SDS Number: BEN228 Date of last issue: 08/14/2026
Date of first issue: 08/14/2026

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
Acetylene	74-86-2 200-816-9	>= 98.5	

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : This product is of low acute toxicity.
High concentrations may cause anesthesia and asphyxia.
Always observe self-protection methods
Move out of dangerous area.
Consult a physician if necessary.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Keep patient warm and at rest.
If breathing is difficult, give oxygen.
If unconscious, place in recovery position and seek medical advice.
In the event of unconsciousness, apnea or cardiac arrest (no pulse), apply cardiopulmonary resuscitation.
- In case of skin contact : Not applicable (gas).
Not expected to present a significant skin hazard under anticipated conditions of normal use.
- In case of eye contact : Non-irritating to the eyes.
Flush eyes with water as a precaution.
If eye irritation persists: Get medical advice/ attention.
- If swallowed : Not applicable (gas).

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Simple asphyxiant, high concentrations can displace oxygen and cause drowsiness and dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : LARGE FIRE: DO NOT extinguish a leaking gas flame unless the leak can be stopped. In many cases it will be preferable to allow continued burning
Use DRY chemicals, CO2, alcohol foam or water spray
SMALL FIRE: Use dry chemicals, CO2
In many cases it will be preferable to allow continued burning, while protecting exposures with water spray, until the flow of gas can be stopped

Unsuitable extinguishing media : Do not use solid water stream - may spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Keep away from all ignition sources! This gas readily forms flammable mixtures with air at well below ambient temperatures. When exposed to an ignition source, it will burn in the open or explode in confined spaces.
DO NOT extinguish a leaking gas fire unless leak can be stopped. Explosive atmosphere could form. Evacuate area and fight fire from a maximum distance or use unmanned hose holders or monitor nozzles. Containers can build up pressure if exposure to heat; cool with flooding quantities of water until well after the fire is out. DO NOT direct water at source of leak or pressure relief devices, icing may occur. Withdraw immediately in case of rising sound from venting safety devices or discoloration of vessel. Always stay away from the ends of "bullet" tanks.
Move containers from fire area if it can be done without risk. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighter's protective clothing will only provide limited protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Eliminate all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
Prevent further leakage or spillage if safe to do so.
External treatment and disposal of waste should comply with applicable local and/or national regulations.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Let evaporate.
Use water spray curtain to divert vapor drift.
Eliminate all sources of ignition.
All equipment used when handling this product must be grounded.
Stop leak if you can do it without risk.
Isolate area until gas has dispersed.
Water spray may reduce vapor; but may not prevent ignition in closed spaces.
Prevent entry into waterways, sewers, basements or confined areas.
Caution: When in contact with refrigerated/cryogenic liquids, many materials become brittle and are likely to break without warning.
Note: recommended measures are based on the most likely spillage scenarios for this material; however, local conditions (wind, air temperature, wave/current direction and speed) may significantly influence the choice of appropriate actions. For this reason, local experts should be consulted when necessary. Local regulations may also prescribe or limit actions to be taken.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not use piping material with high copper content (e.g. > 63%)
Acetylene is an extremely flammable gas with a wide explosive range. Handle with great care to avoid leaks or discharge of gas. Keep material away from heat and open flames.
Check atmosphere for explosiveness and oxygen deficiencies.
Wear recommended personal protective equipment.
Handle empty containers with care; vapor/residue may be flammable.
Isolate, vent, drain, wash and purge systems or equipment before maintenance or repair.
All equipment must conform to applicable electrical code.
Use only non-sparking tools.
Do not pressurize, cut, weld, braze solder, drill, or grind on

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

- containers.
While moving cylinder, always keep in place removable valve cover.
Securely chain cylinders when in use and protect against physical damage.
- Advice on protection against fire and explosion : Take precautionary measures against static discharges.
- Hygiene measures : Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Consult the appropriate European norm (EN) standard before deciding on the type of personal protective equipment that is appropriate for a particular set of circumstances.
Use good personal hygiene practices.
- Fire-fighting class : Extremely flammable gas.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Protect against physical damage. Isolate from oxidizing gases especially chlorine. Store in cool, well ventilated, place away from all possible sources of ignition and combustible materials. Protect against lightning and static electricity. Store cylinders outdoors without direct sunlight or heat radiation and with adequate ventilation. Provide electrical equipment with spark resistant construction.

7.3 Specific end use(s)

- Specific use(s) : See Section 1.2.
Development of Exposure Scenarios for such use are not required by the REACH Regulation other than what is provided in other sections of this SDS.
- No use-specific Risk Management Measures are proposed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Use only in well ventilated areas.
Use explosion-proof ventilation equipment.
Electrical equipment should be grounded and conform to applicable electrical code.

Individual protection measures, such as personal protective equipment (PPE)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version 1.1	Revision Date: 09/02/2026	SDS Number: BEN228	Date of last issue: 08/14/2026 Date of first issue: 08/14/2026
----------------	------------------------------	-----------------------	---

Eye/face protection : Safety glasses and face shield are recommended when handling compressed gas.
The selected goggles or glasses must satisfy the European norm standard EN 166.

Hand protection

Remarks : Wear insulated gloves if contact with rapidly expanding gas is possible.
The selected gloves must satisfy the European norm standard EN 511 for protection against the cold.

Skin and body protection : Fire retardant clothing is appropriate for routine occupational use.
Wear long-sleeved fire-retardant garments (e.g., Nomex (R)) while working with flammable and combustible liquids.
The selected clothing must satisfy the European norm standard EN 533.

Environmental exposure controls

Soil : The product should not be allowed to enter drains, water courses or the soil.
Prevent further leakage or spillage if safe to do so.

Water : If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : gaseous (20 °C, 1,013 hPa)

Form : Compressed gas

Colour : colorless

Melting point/range : -80.7 °C

Boiling point/boiling range : -84.7 °C

Upper explosion limit / Upper flammability limit : 99.99 vol%

Lower explosion limit / Lower flammability limit : 2.5 vol%

Flash point : -17.7 °C
gas

Auto-ignition temperature : 300 °C

pH : Not applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

Viscosity
Viscosity, kinematic : Not applicable (gas).

Solubility(ies)
Water solubility : 1.2 g/l (20 °C)

Partition coefficient: n-
octanol/water : log Pow: 0.37

Vapour pressure : 44,790 hPa (21.1 °C)

Density : Not applicable (gas).

9.2 Other information

Explosives : Not relevant - gas at room temperature.

Oxidizing properties : Not applicable.
Highly flammable.

Self-ignition : 305 °C

Evaporation rate : no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Highly reactive substance

10.2 Chemical stability

Unstable

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapors may form explosive mixture with air.Unstable.

10.4 Conditions to avoid

Conditions to avoid : Acetylene may decompose explosively in conditions of high pressure, moderate temperature, and absence of air. Acetylene is not explosive at ambient atmospheric pressure, but can be explosive with sparks or by decomposition at 2 or more atmospheres of pressure. Acetylene may form explosive acetylide compounds with copper, silver, and mercury under certain conditions.

10.5 Incompatible materials

Materials to avoid : Acetylene has potentially hazardous reactions with: Brass, Bromine, Caesium hydride, Chlorine, Cobalt, Cooper, Copper

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

salts, Nitric acid, Potassium, Rubidium hydride, Silver, Silver salts, and Sodium hydride.
Mercury

10.6 Hazardous decomposition products

Carbon Monoxide and Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

Acetylene:

Acute oral toxicity	:	Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 850000 ppm Exposure time: 4 HOURS Test atmosphere: gas
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

Acetylene:

Result	:	No skin irritation
--------	---	--------------------

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

Acetylene:

Result	:	No eye irritation
--------	---	-------------------

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

Components:

Acetylene:

Result : no data available

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Acetylene:

Remarks : No conclusive data found in literature search.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Acetylene:

Effects on fertility : Remarks: no data available

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

Acetylene:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

Acetylene:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Acetylene:

Remarks : No value available.

Aspiration hazard

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

Components:

Acetylene:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Acetylene:

Toxicity to fish : (Fish): 554 mg/l
Exposure time: 96 HOURS
Test Type: LC50
Remarks: Low acute toxicity to fish
Based on Quantitative structure-activity relationship (QSAR) estimation.

Toxicity to daphnia and other aquatic invertebrates : (See study): 1,037.149 mg/l
Exposure time: 48 HOURS
Test Type: EC50
Remarks: Low acute toxicity to aquatic invertebrates.
Based on Quantitative structure-activity relationship (QSAR) estimation.

Toxicity to algae/aquatic plants : (Freshwater Algae.): 573.906 mg/l
Exposure time: 96 HOURS
Test Type: EC50
Remarks: Harmful to algae.
Based on Quantitative structure-activity relationship (QSAR) estimation.

Toxicity to microorganisms : (activated sludge): 8,469.173 mg/l
Exposure time: 72 HOURS
Test Type: EC50
Remarks: Microbial toxicity is expected to be low.

Toxicity to fish (Chronic tox- : 106.211 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

icity)
Exposure time: 21 d
Species: fish.
Test Type: NOEC
Remarks: Chronic toxicity expected to be low.

Toxicity to daphnia and other : 198.687 mg/l
aquatic invertebrates (Chronic toxicity)
Exposure time: 21 d
Species: See study
Test Type: NOEC
Remarks: Chronic toxicity expected to be low.
Based on Quantitative structure-activity relationship (QSAR) estimation.

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

12.2 Persistence and degradability

Product:

Biodegradability : Result: Inherently biodegradable.
Remarks: Not expected to undergo hydrolysis.
Lack of hydrolysable functional groups.
Vapor-phase is degraded in the atmosphere by reaction with photochemically produced hydroxyl radicals.

Photodegradation : Remarks: Decomposes rapidly in contact with light.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Low potential for bioaccumulation.
Not expected to adsorb to soil or sediment due to the low log Kow<3

12.4 Mobility in soil

Product:

Mobility : Remarks: Partitioning mainly to air.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Environmental fate and pathways : Acetylene is expected to rapidly volatilize.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Preferred disposal for this volatile, flammable product is through combustion.
The product should not be allowed to enter drains, water courses or the soil.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : Not permitted for transport

14.2 UN proper shipping name

ADR : Not permitted for transport

14.3 Transport hazard class(es)

ADR : Not permitted for transport

14.4 Packing group

ADR : Not permitted for transport

14.5 Environmental hazards

ADR : Not permitted for transport

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- | | |
|--|--|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : Conditions of restriction for the following entries should be considered:
Number on list 40
This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.

Number on list 75
If you intend to use this product as tattoo ink, please contact your vendor. |
| REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). | : Contains no REACH candidate substance above 0.1% |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer | : Not applicable |
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : Not applicable |
| Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | : Not applicable |
| REACH - List of substances subject to authorisation (Annex XIV) | : Contains no substance(s) listed on REACH XIV (Authorisation List) |
| Occupational Illnesses (R-461-3, France) | : Not applicable |
| Reinforced medical supervision (R4624-18) | : The product has no CMR properties |
| Installations classified for the protection of the environment (Environment Code R511-9) | : 4719 |
| Volatile organic compounds | : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Not applicable |

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
REACH	: If the product has been purchased from Rotterdam Olefins & Polyolefins B.V., we confirm that the chemical substances in this product have been registered under REACH, in accordance with the deadlines set forth in REACH. (Regulation (EU) No. 1907/2006).
NZIoC	: On the inventory, or in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory
CH BAGREG	: On the inventory, or in compliance with the inventory
MXINSQ	: On the inventory, or in compliance with the inventory
NCI	: On the inventory, or in compliance with the inventory
UKREACH	: If the product has been purchased from Rotterdam Olefins & Polyolefins B.V., we confirm that the chemical substances in this product have been notified with a DUIN or, where required under UK-REACH, registered, and that we have the intention to proceed with any required registration in accordance with the deadlines set forth in the regulation REACH etc. (Amendment etc.) (EU Exit) Regulations 2019.
KKDIK	: If the product has been purchased from Rotterdam Olefins & Polyolefins B.V., we confirm that the chemical substances in this product have been pre-registered or, where required under KKDIK, registered, and that we have the intention to proceed with any required registration in accordance with the deadlines set forth in the regulation. For more information, please contact RegulatoryComplianceROP@velogy.com

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

SECTION 16: Other information

Full text of H-Statements

Full text of other abbreviations

Flam. Gas	:	Flammable gases
Press. Gas	:	Gases under pressure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ACETYLENE

Version	Revision Date:	SDS Number:	Date of last issue: 08/14/2026
1.1	09/02/2026	BEN228	Date of first issue: 08/14/2026

FR / EN